

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Academic Year – 2025 -2026

1 . Hospital Name-

**Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgon.**

**Address Sangli-Kolhapur Highway, Ichalkaranji Phata, Near
Dharmnagar, A/p- Nimshirgaon, Tal- Shirol,
Dist Kolhapur-416101 (Maharashtra)**

Details of Registration

Sr. No	Details of Registration	
1	Registration No.	0478/2021 Nimshirgaon
2	Registration Date	30/07/2021
3	Place	A/P- Nimshirgaon
4	Valid upto	01 /01 /2025 to 31 /03 /2028
5	Total No. of Beds	50




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon



महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुश्रूषा गृह नोंदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुश्रूषागृह नोंदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

प्रमाणपत्र / CERTIFICATE

(मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९ च्या कलम ५ अन्वये दिलेले प्रमाणपत्र)
(Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5)

Dr. Shri / Smt

Dr. Sukumar J. Magdum Foundation's Jaysingpur

डॉ. श्री/श्रीमती

डॉ सुकुमार जे. मगदूम फाऊंडेशन जयसिंगपूर संचलित

Hospital name

Late Mrs. Hausabai Homeopathic Medical College and Hospital

रुग्णालयाचे नांव

कै. सौ. हौसाबाई होमिओपॅथिक मेडिकल कॉलेज अँड हॉस्पिटल

Address

Group No. 607, G.M.No. 1230, A/P Nimshirgaon Tal. Shirol Dist. Kolhapur

पत्ता

गट नंबर ६०७, ग्रा.मि.नं. १२३०, मु पो निमशिरगांव ता शिरोळ जि कोल्हापूर

नवीन नोंदणी/नूतनीकरणासाठी वरील नर्सिंग होम/मॅटर्निटी होमची नोंदणी करण्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number : 0498
नोंदणी क्रमांक :

Maternity Beds : 0030
प्रसुती खाटा :

Registration Date : 01/01/2025
नोंदणी दिनांक :

Nursing Beds : 0070
शुश्रूषा खाटा :

Place : kolhapur

ठिकाणी : कोल्हापूर

Registration /Renewal Date : 01/01/2025
नोंदणी/नूतनीकरण दिनांक



This certificate shall be valid up to 31 March 2028
हे प्रमाणपत्र ३१ मार्च २०२८ पर्यंत वैध असेल.

(DR. ANIRUDDHA PIMPLE)

District Health Officer
Zilla Parishad Kolhapur

Note - In case of false information provided by Applicant,
Registration Certificate will become null and void
and legal action will be proceeded against him.

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

PART II Hospital Details

A.Y. - 2025-26

3. Bed Strength -Ward Distribution - As Per MES & Intake Capacity

Sr. No	Department	Bed Required (Including UG/PG)	Total Beds Available	Nursing Station or Duty Room Y/N	Doctor Room Y/N	Store Room Y/N	Remark
01	Gen. Medicine	25	25	Yes	Yes	Yes	PG Not Available
02	Pediatrics	05	05	Yes	Yes	Yes	
03	Surgery	10	10	Yes	Yes	Yes	
04	OBGY	10	10	Yes	Yes	Yes	
Total		50	50				



[Signature]
Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon



LATE MRS. HOUSABAI HOMOEOPATHIC MEDICAL COLLEGE & HOSPITAL, NIMSHIRGAON.

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar, Tal.- Shirol,
Dist.- Kolhapur- 416 101 (Maharashtra)

■ Email:- hhmc.20@gmail.com ■ Website:-www.hhmc.co.in

■ Tel. & Fax No.:- (02322) 295503 Office No. : 8446149667, Mob. No.:- 9422582621 / 9422421294

Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik

A. INFRASTRUCTURE REQUIREMENT

TABLE

S.No.	Particulars	Built up area (in sq.mt.)
		upto 100 students intake
1.	Hospital Administration Block	100
	(a) Rooms for :	
	(i) Superintendent	Available
	(ii) Public relation officer	
	(iii) Staff nurse	
	(b) Reception and Registration	
	Out-patient department	220
2.	(a)	
	(i) General Medicine	Available
	(ii) Gynecology and obstetrics	
	(iii) Surgery	
	(iv) Pediatrics and child health	
	(b)	
	(i) Dressing room	
	(ii) Pharmacy store	
	(iii) Waiting area for patient	
3.	Clinical teaching room: 04(thirty square meter area for each room)	120
4.	Skill Laboratory	100
5.	In-patient department	
	(i) General medicine (male and female ward/ bed separately)	450
	(ii) Pediatrics	
	(iii) Surgery (male and female ward separately)	Available
	(iv) Obstetrics and Gynecology	
	(v) Toilets and bathroom (separate for male and female)	
	(vi) Doctors duty room	
	(vii) Nursing stations or duty room for nurses	
	Pharmacy (ix)Record room	



LATE MRS. HOUSABAI HOMOEOPATHIC MEDICAL COLLEGE & HOSPITAL, NIMSHIRGAON.

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar, Tal.- Shirol,
Dist.- Kolhapur- 416 101 (Maharashtra)

■ Email:- hhmc.20@gmail.com ■ Website:-www.hhmc.co.in

■ Tel. & Fax No.:- (02322) 295503 Office No. : 8446149667, Mob. No.:- 9422582621 / 9422421294

Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik

A. INFRASTRUCTURE REQUIREMENT

TABLE

S.No.	Particulars	Built up area (in sq.mt.)
		upto 100 students intake
1.	Hospital Administration Block	100
	(a) Rooms for :	
	(i) Superintendent	Available
	(ii) Public relation officer	
	(iii) Staff nurse	
	(b) Reception and Registration	
	Out-patient department	220
2.	(a)	
	(i) General Medicine	Available
	(ii) Gynecology and obstetrics	
	(iii) Surgery	
	(iv) Pediatrics and child health	
	(b)	
	(i) Dressing room	
	(ii) Pharmacy store	
	(iii) Waiting area for patient	
3.	Clinical teaching room: 04(thirty square meter area for each room)	120
4.	Skill Laboratory	100
5.	In-patient department	
	(i) General medicine (male and female ward/ bed separately)	450
	(ii) Pediatrics	
	(iii) Surgery (male and female ward separately)	
	(iv) Obstetrics and Gynecology	
	(v) Toilets and bathroom (separate for male and female)	
	(vi) Doctors duty room	
	(vii) Nursing stations or duty room for nurses Pharmacy (ix) Record room	
		Available



6.	Operation theatre unit (i) Operation theatre (ii) Preparation room (iii) Post-operative recovery room (iv) Space for sterilized linen (v) Labor room (vi) Room for surgeon or obstetrician or assistants (vii) Nursing staff room	100 Available
7.	Rehabilitation unit (i) Physio-therapy (ii) Yoga clinic and hall (iii) Dietician	100 Available
8.	Central clinical laboratory (i) Pathology and microbiology (ii) Bio-chemistry	30 Available
9.	Radiology and Sonography section X-ray room, dark room, provisions for storing films and Chemicals	40 Available
10.	Pharmacy	Available
11.	Emergency unit	Available
12.	Hospital kitchen	Available
13.	Stores	Available



Furniture/Fixture/Equipment's Requirements for OPD

Sr. No.	Name of the Equipment	31to 50beds	Available For Number Of Beds In Hospital
1.	Room with well- lighted and ventilated and equipped with a chair and a table for doctor	1per consultation room	Available
2.	X-ray viewer	1per consultation room	Available
3.	Two chairs forpatients and attendants	1set per consultation room	Available
4.	An examination table of6 ft. X 2.5ft. With privacy screen	1per consultation room	Available
5.	Blood pressure apparatus	1per consultation room	Available
6.	Stethoscope	1per consultation room	Available
7.	Torch	1per consultation room	Available
8.	Thermometer	1per consultation room	Available
9.	Weighing machine.	1per consultation room	Available
10.	Essential diagnostic tools required for examination of patients as per the scope of services offered by the hospital.	As per requirement	Available
11.	Light source which gives light colour and temperature similar to solar light, Light intensity of atleast 500 lux at the point of examination	As per requirement	Available
12.	Computers	1per consultation room	Available
13.	Telephone equipment	As per requirement	Available
14.	Air-conditioning	As per requirement	Available
15.	Adequate lockable storage space	As per requirement	Available
16.	Foot stools	1per consultation room	Available



Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Year - -2025-2026

5) Own Ambulance Facility is Available.

6) Medicine Dispensing Unit is Available 33.17 sq.mt

**Adequate Medicines in Different Potencies,
Biochemic Medicines and Mother Tincture are -
Available**




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

AMBULANCE LICENCE

Regn. No. MH09EM8228		ARM075379
Regd. Owner	DR. SURESH J. MADAM FOUNDATION	
SCOW of	NA	
Purpose	RSW / HPA	
Regn. Date	18/08/2018	
Color	FORCL. WHITE	
Form	SMEL	
Vehicle Class	AMBULANCE - 10	
Body Type	AMBULANCE WITH ROOF	
Manufacturer	TATA MOTORS LTD	
Chassis No.	MAT480134KUR01064	
Engine No.	2JLDIC0R118FYJ02034	
Model No.	WINGER 32WB AMS RSW (7+7)	
Hypothecated To	TATA MOTORS FINANCE LIMITED	
Manufacturing Dt	03/2019	
Seal Capacity	008	Nr. Of Cys. 08
Stand Capacity	08	Owner Serial 01
Tax Paid Up To	LTT	Untaxed Wt 062016
Regd. Validity	See P Card	Color Capacity 092019
Address	A/P JAYSHAMBI MAIN ROAD, JAYSHAMBI TAL - SHIROL DIST - KOLHAPUR, Kolhapur MH 416010	Wheel Base 89200
		R L W 002000
	RTO KOLHAPUR Issuing Authority	 Signature Of Issuing Authority

TRUE COPY


Principal

LAD Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

Late Mrs. Housabai Homoeopathic Medical College & Hospital
Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,
A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)
Office Phone No.- (02322) 295503 **Mobile No.:** 9422582621, 9422421294
E-Mail: hhmc.20@gmail.com **Website:** www.hhmc.co.in
(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

8. MOU with super specialty Hospital for clinical training of student and its functional Uploaded the details - Yes




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website: www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Academic Year - 2025-2026

9) First Aid Kit in OPD-IPD - Yes Available




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon



S S SERVICES

GAT NO. 638, C.S. NO. 17695, NEAR NEW SANGLI NAKA, TAKAWADE ROAD, NEAR
S.T.P. COMPOUND, ICHALKARANJI 416115 Maharashtra, India
Phone: +91-8822997711, +91-8888419888 Email: pawarkishor7711@gmail.com
Web: <https://ssservices.cbwtf.in>



Unique Registration No.: 121046



Offline QR



Online QR

Registration Certificate

Outward No. : OW/CER/2025-26/283

Date : 20-May-2025

This is to certify that, **Late Mrs. Housabai Homoeopathic Medical College & Hospital & Anatomy Lab, A/P. Nimshirgaon, Tal. Shirol, Dist. Kolhapur. , 416101** is registered with **M/s S S SERVICES**, for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- 1 Authorized Person of HCE (Name and Designation) : **Dr. Magdum Shubhangi Sukumar**
: **The Medical Superintendent**
- 2 Bombay Nursing Home Act Registration Details
 - a. BNH Registration No : **478/2021/Jaysingpur**
 - b. BNH Issue Date : **09-Aug-2021**
 - c. Total Number of Beds : **25**
 - d. BNH validity (Form 'C') : **31-Mar-2024**
- 3 Common Treatment Facility Registration Details
 - a. Date of Registration : **01-Apr-2013**
 - b. No. of Beds Registered : **100**
 - c. Issue Date : **01-Apr-2025**
 - d. Registration Validity : **31-Mar-2026**
- 4 Renewal of CTF Membership (if applicable)
 - a. Renewal Date : **31-Mar-2026**
 - b. No. of Beds : **100**
- 5 MPCB Consents (Establish/ 1st Operator/Renewal Details)
 - a. Consent / CCA Number : **SRO-KOLHAPUR/2104000586/21**
 - b. Issue Date : **28-Mar-2021**
 - c. Validity upto : **31-Oct-2025**

Authorized Signature

Name : **Kishor Pawar/Abhaykumar Birnale**
Designation : **Partner**

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psob@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/L.S.I

Date: 02/06/2025

No:- Format1.0/PSO/UAN No.0000232044/CO/2506000113

To,
LATE MRS HOUSABAI HOMOEOPATHIC MEDICAL
COLLEGE AND HOSPITAL
,SANGALI ROAD,NIMSHIRGAON,Nimshirgaon,Kolhapur
-416101
Email:hmmedicalcollege@gmail.com
Contact No.:9422582621



Your Service is Our Duty

Combined Consent to Establish and 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization application vide no.MPCB-CONSENT-0000232044 dated 05.02.2025
 2. Report of SRO, MPCB, Kolhapur dated 31.03.2025
 3. SCN for Refusal issued on dated 29/04/2025
 4. Documents uploaded on 05.05.2025, 06.05.2025, 21.05.2025 and 28.05.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Consent to Establish and 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This Consent to Establish and CCA shall be in force for a period From 01-01-2025 To 01-01-2029
2. HCF Area : - Plot Area 800.00 M² with Built-up area 840.09 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 498 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 34 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	0

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S.S. Services, Ichalkaranji** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

- 11.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 12.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 13.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 14.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 15.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 16.** You shall install adequate ETP/ STP within 3 month period. In case of failure the CCA granted by Board stands cancel please note.
- 17.** You shall submit the bank guarantee of INR 1.75 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract 12 % interest on BG

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	60000.00	MPCB-DR-31946	05/02/2025	NEFT

Remaining fee of Rs. 28077/- shall be considered for further renewal of CCA

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- You shall ensure BG compliance
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	32.00
3.	Pathology Laboratory, Floor washing, Operation Theater	2.00
4.	Laundry	2.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	28.0	As per clause 'C'	100% Recycle
2	Trade effluent	1.5	As per clause 'C'	100% Recycle

C. To upgrade STP / ETP of adequate capacity

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 40 KVA	Diesel	20.00 Lit/Day	3.50

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	3.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	4.00		
		f) Chemical Liquid Waste	1.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	2.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	3.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
4	Blue	a) Glassware	3.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
		b) Metallic body implants	4.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S.S. Services, Ichalkaranji** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
2	To upgrade STP/ ETP of adequate capacity	Three	50,000.00
Total			1,75,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website: www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Academic Year - 2025-2026

13) Emergency Unit - Yes Available





Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon



कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२.
फोन नं.-पी.बी.एक्स. बोर्ड २५४०२९१ ते २५४०२९८



जावक क्र.- अग्निशमन विभाग / वशि-१/ **E39** /२०२५-२६

दि. **१९** /०१/२०२६

प्रति,

लेट हौसाबाई होमियोपती मेडीकल,
कॉलेज व हॉस्पिटल निमशिरगाव,
गट नं. पार्ट ६०७, निमशिरगाव,
ता. शिरोळ, जि. कोल्हापूर



विषय :- लेट हौसाबाई होमियोपती मेडीकल, कॉलेज व हॉस्पिटल निमशिरगाव, गट नं. पार्ट ६०७, निमशिरगाव, ता. शिरोळ, जि. कोल्हापूर यांचे ७५ बेड हॉस्पिटल इमारतीसाठी ना-हरकत दाखला बाबत...

संदर्भ :- १. संचालक, महाराष्ट्र अग्निशमन सेवा संचालनालय यांचा आदेश दि.२७/०१/२०२१
२. वरद फायर अॅण्ड सेफ्टी सर्वीसेस यांचा दि. २९/१२/२०२५ चा बी फॉर्म लायसन नं. MFS- LA/RF-259/RD-239

उपरोक्त विषयांकीत कामी संदर्भिय पत्रान्वये लेट हौसाबाई होमियोपती मेडीकल, कॉलेज व हॉस्पिटल निमशिरगाव, गट नं. पार्ट ६०७, निमशिरगाव, ता. शिरोळ, जि. कोल्हापूर यांचे ७५ बेड हॉस्पिटल मध्ये बसविणाने आलेल्या अग्निप्रतिबंधक सुविधा दुरुस्त आणि कार्यक्षम स्थितीत असलेबाबत अग्निशमन विभागाचा ना-हरकत दाखला मागणी केलेला आहे.

उपरोक्त ठिकाणी संचालक, महाराष्ट्र राज्य अग्निशमन सेवा संचालनालय यांनी दिलेल्या आदेशाने महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ नुसार आपल्या हॉस्पिटल मध्ये बसवण्यात आलेली अग्निशमन सुविधांची कोल्हापूर महानगरपालिका अग्निशमन विभागाने तपासणी केली असून वरद फायर अॅण्ड सेफ्टी सर्वीसेस यांचा दि. २९/१२/२०२५ चा बी फॉर्म लायसन नं. MFS- LA/RF-259/RD-239 यांनी १.) ए.बी.सी. - ०६ नग, २) हायड्रंट व्हॅल्व-४, होज रील-४, होज बॉक्स, होज पाईप, ब्रांच पाईप-२ ३) पंप-४५० एल पी एम-०२, ४) फायर इनलेट टु वे-२ नग, आलार्म सिरटीम- एम.सि.पी-०२, हुटर-०२, स्मोक डिटेक्टर-२० तपासणी केली असून इमारतीला बसवण्यात आलेली यंत्रणा आज मितीला कार्यक्षम व सुस्थितीत असले बाबत नमुद केले असल्याने त्यांना इकडील विभागा कडून ना-हरकत दाखला देण्यात येत आहे. सदरचा दाखला हा केवळ मुंबई शुश्रूषा गृह नोंदणी साठी वापरण्याचा आहे.

महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ मधील कलम ३ (पोट कलम ३) नुसार सदरची यंत्रणा सुस्थितीत व कार्यसत असले बाबत मान्यताप्राप्त लायसन एजन्सी यांचा बी फॉर्म वर्षातून दोन वेळा म्हणजे जानेवारी व जुलै महीन्यात सादर करण्याचा आहे अन्यथा सदरचा ना-हरकत दाखला रद्द समजण्यात येईल. सदरचा दाखला एक वर्षाचे मुदतीकरिता देण्यात येत आहे ७५ बेड हॉस्पिटल परवाना नुतनीकरण करणेकामी आग सुरक्षा निर्धे GD 133202509766 रक्कम १६६३८/- रुपये दिनांक १९/०१/२०२६ रोजी भरण्यात आले आहे.

HHMC, Nimshirgaon
Inward No.- 456
Date - 20/1/26

मुख्य अग्निशमन अधिकारी
कोल्हापूर महानगरपालिका



कोल्हापूर महानगरपालिका , जनरल डिमांड

भाऊसिंगजी रोड, सी वार्ड,
पोस्ट वॉक्स क्र. ३३, कोल्हापूर - ४१६ ००२

विभागाचे नाव	Fire	पावती
ग्राहकाचे नाव : Lt. Housabai homeorathy Medical Collage Hospital	पावती क्र. : GD133202509766	
पत्ता : Gat No. Part, 607 nimshirgaon tal- Shirol Dist- Kolhapur	पावती तारीख : 19-01-2026	
	जनरल डिमांड क्र. : GD2025-2026-10168	
तपशील		रक्कम
आग सुरक्षा निधी		16638.0
रक्कम रु.		16638.0
शब्दात (रु.)		Sixteen Thousand Six Hundred and Thirty Eight only
रोवेचे नाव : दैनिक चलन अग्निशमन विभाग	भरण्याची पद्धत : Online - upi - GD20261192346	
विषय : 75 bed Hospital NOc Fee		
		



FORM R.S. II
[Rule 5(1)(b)]

TRUE COPY

Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

Licence No.97/2017-18.

Licence for the possession and use of rectified spirit including absolute alcohol for industrial, medicinal, scientific and educational purposes.

Licence is hereby granted, under and subject to the Bombay Prohibition Act, 1946 (Bom.XXV of 1949), and the rules, regulations and orders made thereunder, to Chairman, Housabai Homoeopathic Medical college and Hospital, Nimshirgaon, Tal-Shirol, Dist.-Kolhapur on payment of a fee of Rs 400/- Ch. No.MH005200516201718M Dated.08.09.2017 in advance authorising him to buy, possess and use rectified spirit including absolute alcohol (hereinafter called "spirit") during the period from /09/2017 to 31/03/2018 at his premises situated at Housabai Homoeopathic Medical college and Hospital, Nimshirgaon, Tal-Shirol, Dist.-Kolhapur

(hereinafter referred to as "the licensed premises") subject to the following conditions, namely:-

Conditions

1. The licensee shall not use the spirit for any purpose except for* College Laboratory
2. (1) The licensee shall not buy spirit except on a requisition countersigned by an Officer of the Prohibition and Excise Department duly authorised in the behalf.
(2) The licensee shall not buy spirit in any one ^{year} (Month) during the period of the licence more than ⁶⁰ (05) B.L. Rectified Spirit.
(3) The licensee shall not buy spirit in any one ^{year} (Month) exceeding ⁶⁰ (05) B.L. Rectified Spirit.
3. The licensee shall not have in his possession more than ⁶⁰ (05) B.L. Rectified Spirit.
spirit/gallens / quarts at any one time
4. The licensee shall keep all the spirit received by him in a place in the licensed premises approved by the local Inspector of Prohibition and Excise under lock and key and all issues of spirit from the said place shall be made in the presence of the licensee or a person duly authorised by him in writing in that behalf.
5. (1) The licensee shall maintain such accounts as may be prescribed by the Director of Excise and Prohibition under the Act. The account shall be kept in a bound book, paged and stamped with the seal of the Collector.
(2) The licensee shall keep, along with the account book, the requisitions and transport passes relating to the spirit received at the licensed premises.
(3) The licensee shall submit such returns as may be prescribed by the Director of Excise and Prohibition under the Act.
(4) The licensee shall furnish to the Collector such other information relating to the subject matter of this licence as the Collector may from time to time require.
6. The licensee shall pay to Government such cost of the Prohibition and Excise staff if it is appointed of Excise and Prohibition for supervision over the use of rectified spirit, as may be fixed by the Director.

Mo. *[Handwritten Signature]*

3248 TRUE COPY

7. The licensed premises, the spirit kept therein and the account books, requisition and transport passes referred to conditions 5 and this license shall at all times be open to inspection by the Collector, or any Prohibition and Excise or Police Officer not lower in rank than a Sub-Inspector of Prohibition and Excise or Police, as the case may be, or by any other officer empowered under Section 77 (a) of the Bombay Prohibition Act, 1949, who may be deputed or authorised by the Collector or the Superintendent of Prohibition and Excise in this behalf.

8. The accounts, requisitions and transport passes referred to in condition 5 and the licence shall be preserved by the licensee during the whole of the period of this licence.

Granted this 18th day of September 2017.



[Handwritten Signature]
For Collector Kolhapur



Licence in From R.S. No. 97/2018-2020
Licence is renewed for the period for 1/4/2018.....
to 31/03/2020. On the same conditions on payment
of renewal fee Rs. 920. Paid by E Chalan
No. 342 Date 21.05/2019

[Handwritten Signature]
For Collector Kolhapur



Licence In From R.S. No. 97/2019-2021
Licence is renewed for the period for 1/4/2019.....
to 31/3/2021. On the same conditions on payment
of renewal fee Rs. 425/- Paid by E Chalan
No. 110133374/2019 Dt. 17/03/2020

[Handwritten Signature]
For Collector Kolhapur



TRUE COPY
[Handwritten Signature]
Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital Nimshirgaon



Licence In From... 12.5.17... No..... 97...../2017-18
 Licence is renewed for the period for 1/4/2022...
 to 31/3/2023..... On the same conditions on payment
 of renewal fee Rs..... 42.5..... Paid by E Chalan
 No. MH01412631A22022E DL 26/03/2022

[Signature]
 For Collector Kolhapur

क्रमांक - आरटीएस 112021/1570
 कोल्हापूर, दि.14.03.2022

प्रिन्सीपल, होसाबाई होमिओपेथिक मेडिकल कॉलेज व
 हॉस्पिटल, निमशिरगांव, ता. शिरोळ, जि. कोल्हापूर यांना मंजूर RS
 II क्र. 97/2017-18 या अनुज्ञप्तीच्या अट क्र. 2(2 व 3) मध्ये
 दुरुस्ती करण्याकरिता मा. जिल्हाधिकारी, कोल्हापूर यांनी दि.
 24.02.2022 नुसार मान्यता दिल्याने तसेच सदरबाबत दुरुस्ती
 शुल्क रु. 10/- ईचलन क्र. MH014368165202122E, दि.
 10.03.2022 नुसार शासन जमा केल्याने अभिलेखावर तसेच
 मुळ अनुज्ञप्तीवर तशी नोंद घेण्यात येत आहे.



[Signature]
 जिल्हाधिकारी, कोल्हापूर

Licence In From... 15.4... No..... 97...../2022-2023
 Licence is renewed for the period for 1/4/2022...
 to 31/3/2023..... On the same conditions on payment
 of renewal fee Rs..... 42.5..... Paid by E Chalan
 No. MH0143002762022E 17/03/2022

[Signature]
 For Collector Kolhapur



Licence In From... 15.4... No..... 97...../2023-2024
 Licence is renewed for the period to 1/4/2023...
 to 31/3/2024..... On the same conditions on payment
 of renewal fee Rs..... 42.5..... Paid by E Chalan
 No. MH0129924192023E 20/03/2022

[Signature]
 For Collector Kolhapur




TRUE COPY

[Signature]
 Principal
 Late Mrs. Housabal Homoeopathic
 Medical College & Hospital, Nimshirgaon




Licence In From RS-I No. 97/2024 period
Licence is renewed for the period for 1/1/2025
to 31/3/2025..... On the same conditions on payment
of renewal fee Rs. 425/-..... Paid by E Chalan
No. MH0176893222028240 D.D. No 109 /2024.


For Collector Kolhapur



Licence In From RS-II No. 97/2025-2026
Licence is renewed for the period for 1/1/2025
to 31/3/2026..... On the same conditions on payment
of renewal fee Rs. 425/-..... Paid by E Chalan
No. MH018293467202425 DDI 21103 /2025.


For Collector Kolhapur



TRUE COPY


Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

TRUE COPY

Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com


Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

NUMBER OF PATIENTS ATTENDED OPD

1 JAN 2025 TO 31 DEC 2025

Sr.No	Month	General Medicine	Peadiatric	Obgy	Surgery or Any Other Specialty
1	Jan	2955	1198	1428	1528
2	Feb	2620	1061	1249	1357
3	March	2853	1129	1378	1494
4	April	2892	1120	1389	1468
5	May	2968	1179	1424	1562
6	Jun	2831	1211	1326	1578
7	July	3128	1296	1399	1703
8	Aug	2980	1260	1287	1613
9	Sept	3042	1308	1315	1616
10	Oct	2917	1180	1209	1507
11	Nov	3009	1303	1339	1655
12	Dec	3245	1451	1442	1711
Total		35440	14696	16185	18792
Grand Total +Peripheral OPD					
85113+11253 = 96366					




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

NUMBER OF PATIENTS ATTENDED IPD

1 JAN 2025 TO 31 DEC 2025

Sr.No	Month	General Medicne	Peadiatric	Obgy	Surgery or Any Other Specialty
1	Jan	355	149	113	262
2	Feb	436	73	59	213
3	March	506	53	43	214
4	April	474	75	45	226
5	May	350	72	74	287
6	Jun	300	69	96	260
7	July	467	67	92	192
8	Aug	443	67	125	276
9	Sept	409	49	143	158
10	Oct	366	45	81	137
11	Nov	317	97	117	225
12	Dec	395	127	148	131
Total		4818	943	1136	2581
Grand Total = 9478`					



Principal
Late Mrs. Housabai Homoeopathic Medical College and Hospital, Nimshirgaon

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

LABORATORY ALL TEST DETAILS

1 JAN 2025 TO 31 DEC 2025

MONTH	HEMATOLOGY	BIOCHEMISTRY	SEROLOGY	MICROBIOLOGY
Jan	135	258	49	51
Feb	154	276	59	44
March	160	363	49	45
April	136	280	58	39
May	99	244	52	43
Jun	142	246	73	52
July	150	252	47	47
Aug	163	275	62	39
Sept	146	300	67	39
Oct	123	212	42	33
Nov	132	221	33	47
Dec	107	218	35	46
Y.TOTAL	1647	3145	636	523
	TOTAL = 5951			




Principal
Late Mrs. Housabai Homoeopathic Medical
College and Hospital, Nimshirgaon.

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Total No. Of ECG

1 JAN 2025 TO 31 DEC 2025

Sr.No	Month	No.Of ECG
1	Jan	22
2	Feb	19
3	March	21
4	April	20
5	May	18
6	Jun	15
7	July	10
8	Aug	19
9	Sept	21
10	Oct	21
11	Nov	14
12	Dec	18
	Total	218



Principal
Late Mrs. Housabai Homoeopathic Medical College and Hospital, Nimshirgaon.

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Total No. OF USG

1 JAN 2025 TO 31 DEC 2025

Sr.No	Month	No.Of USG
1	Jan	10
2	Feb	7
3	March	5
4	April	14
5	May	10
6	Jun	11
7	July	11
8	Aug	7
9	Sept	2
10	Oct	10
11	Nov	10
12	Dec	10
	Total	107



Principal
Late Mrs. Housabai Homoeopathic Medical
College and Hospital, Nimshirgaon.

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Total No. Of X-RAY 1 JAN 2025 TO 31 DEC 2025

Sr.No	Month	No.Of X-Ray
1	Jan	77
2	Feb	75
3	March	86
4	April	76
5	May	79
6	Jun	78
7	July	90
8	Aug	102
9	Sept	95
10	Oct	75
11	Nov	89
12	Dec	100
	Total	1022




Principal
Late Mrs. Housabai Homoeopathic Medical
College and Hospital, Nimshirgaon.

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Total No. Of Surgery (OT) 1 JAN 2025 TO 31 DEC 2025

Sr. No	Month	Minor	Major
1	Jan	12	5
2	Feb	8	8
3	March	4	4
4	April	9	4
5	May	6	10
6	Jun	13	10
7	July	8	3
8	Aug	11	3
9	Sept	8	2
10	Oct	11	4
11	Nov	12	5
12	Dec	6	11
	Total	108	69



Principal
Late Mrs. Housabai Homoeopathic Medical
College and Hospital, Nimshirgaon

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Total No. Of Physiotherapy 1 JAN 2025 TO 31 DEC 2025

Sr.No	Month	No. Of Physiotherapy
1	Jan	387
2	Feb	230
3	March	286
4	April	334
5	May	264
6	Jun	307
7	July	372
8	Aug	353
9	Sept	430
10	Oct	567
11	Nov	348
12	Dec	419
	Total	4297




Principal
Late Mrs. Housabai Homoeopathic Medical
College and Hospital, Nimshirgaon.

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website: www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Year - 2025-2026

8) Average bed occupancy per day during last one calendar year as Per
MES:-51.93

9) Minimum per day average number of Patient in outpatient
Department during last one calendar year as per MES- 301

10) Verify and sign OPD/IPD record at the time of visit under following
Headings

1. Central register
2. Departmental Register
3. Case Paper (OPD&IPD)
4. Laboratory and radiological investigation
5. Dispensing Register
6. Diet Register
7. Operation theatre Register
8. Duty Roster / Acquaintance Roll

Available




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon



Dr. Sukumar J. Magdum Foundation,

Late Mrs. Housabai Homoeopathic Medical College & Hospital

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,

A/p- Nimshirgaon, Tal- Shirol, Dist- Kolhapur-416101(Maharashtra)

Office Phone No.- (02322) 295503

Mobile No.: 9422582621, 9422421294

E-Mail: hhmc.20@gmail.com

Website:www.hhmc.co.in

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

Pheripheral OPD

1 Jan 2025 To 31 Dec 2025

Month	Umalwad	Ichlakanji	Majale	Tardal	Hatkangle	Tamdalge	Ichlakanji OPD	Jaysingpur
Jan	111	63	81	68	64	57	88	658
Feb	124	42	57	60	62	39	109	491
Mar	190	42	45	69	58	44	173	533
April	83	49	59	82	53	34	203	559
May	70	35	38	52	68	46	200	472
Jun	108	37	39	67	48	37	150	369
July	89	53	65	74	45	34	140	422
Aug	100	42	49	52	58	51	145	349
Sep	132	59	55	74	49	42	136	319
Oct	101	34	49	118	49	37	113	224
Nov	104	43	46	66	30	49	141	274
Dec	134	53	71	81	52	38	140	296
Total	1346	552	654	863	636	508	1738	4966

Grand Total = 11263




Principal
Late Mrs. Housabai Homoeopathic
Medical College & Hospital, Nimshirgaon