



Dr. Sukumar J. Magdum Foundation's, Jaysingpur.

Late Mrs. Housabai Homoeopathic Medical College & Hospital, Nimshirgaon.

Sangli-Kolhapur Highway, Ichalkaranji Phata, Near Dharmnagar,
Tal-Shirol, Dist-Kolhapur.- 416 101 (Maharashtra) E-Mail : hhmc20@gmail.com

Office No. 02322-295503 Mobile No.: 9422582621, 9422421294

(Approved by Ayush New Delhi, NCH New Delhi, Maharashtra State Govt. & Affiliated to MUHS Nashik)

DEPARTMENT OF HOMOEOPATHIC PHARMACY

EQUIPMENT AS PER SCHEDULE - III OF MSR

SR. NO	ITEMS	REQUI RED	AVAILABLE	
1	1	PILL TILES	25	
	2	PORCELAIN DISHES	25	
	3	CRUCIBLES WITH TONGS	25	CRUCIBLES 26 & TONGS-26
	4	PESTLES AND MORTARS (IRON, GLASS, PORCELAIN, WOODEN, STAINLESS STEEL, STONE)	25	PORCELIN = 37 GLASS = 01, IRON = 01, AGATE= 01 WOODEN- = 01, STAINLESS STEEL = 01 STONE=03
	5	WATER BATH (METAL / ELECTRIC)	25	METAL = 26
	6	MICROSCOPE (STUDENT TYPE)	05	05
	7	GLASS APPARATUS FOR FILTRATION WITH VACUUM	02	02
	8	THIN LAYER CHROMATOGRAPHY APPARATUS	01	01
	9	PH METER	02	02
	10	STOP WATCH	25	25
	11	HYDROMETER	05	05
	12	ALCOHOLOMETER	05	05
	13	LACTOMETER	05	05
	14	ELECTRIC POTENTISER (FOR P.G. COURSE)	02	NOT APPLICABLE (NO PG COURSE IN HOM. PHARMCY SUBJECT)
	15	ELECTRIC TRITURATOR (FOR P.G. COURSE)	02	NOT APPLICABLE (NO PG COURSE IN HOM. PHARMCY SUBJECT)
	16	WATER STILL (DISTILLED WATER PLANT)	01	01

17	PERCOLATOR	05	05	
18	MACERATOR	05	05	
19	BOTANICAL SLIDES	AS REQUIR ED	100	
20	COLORIMETER (FOR P.G. COURSE)	01	NOT APPLICABLE (NO PG COURSE IN HOM. PHARMCY SUBJECT)	
21	SPECTROSCOPE (FOR P.G. COURSE)	01	NOT APPLICABLE (NO PG COURSE IN HOM. PHARMCY SUBJECT)	
22	DISSECTING MICROSCOPE	02	02	
23	DISTILLATION APPARATUS (GLASS)	01 SET	01 SET	
24	PYKNOMETER (SPECIFIC GRAVITY BOTTLE)	02	02	
25	ELECTRONIC BALANCE	01	01	
26	HOT AIR OVEN	01	01	
27	CHEMICAL BALANCE	10	13	
28	PHYSICAL BALANCE	01	01	
29	MEASURING GLASSES (ALL SIZES) GRADUATED CONICAL TESTING GLASSES	AS REQUIR ED	12 EACH	
30	MISCELLANEOUS	CHEMICALS	AS REQUIR ED	AVAILABLE
		DRUGS	AS REQUIR ED	AVAILABLE
		GLASS PHIALS	AS REQUIR ED	AVAILABLE = 08
		GLASS RODS	AS REQUIR ED	AVAILABLE = 39
		FUNNELS	AS REQUIR ED	AVAILABLE = 99
		FILTER PAPERS	AS REQUIR ED	AVAILABLE = 14 PACKS
		OTHERS	AS REQUIR ED	AVAILABLE
2	TOTAL NUMBER OF CHARTS		40 = 39 + 01	
3	NUMBER OF BOOKS IN DEPARTMENTAL LIBRARY		66 = 64 + 02	
4	TOTAL NUMBER OF MODELS		12 = 11 + 01	

5	TOTAL NUMBER OF SPECIMENS	VEGETABLE (DRY 48= 46 + 02 , WET 25= 24 + 01)	73 = 70+ 03
		ANIMAL	10 = 09 + 01
		CHEMICAL	40 = 39 + 01
6	DETAILS OF VEHICLES AVAILABLE	SOLIDS	SAC.LAC., TABLETS, GLOBULES
		LIQUIDS	ALCOHOL, DISTILLED WATER, OLIVE OIL, GLYCERINE.
		SEMISOLIDS	PETROLEUM JELLY
		ALCOHOL	AVAILABLE
		LICENSE FOR PROCURING ALCOHOL/SPIRIT AVAILABLE OR NOT. IF YES, WHETHER IT IS RENEWED OR NOT.	YES (SHREE DATT SAHAKARI SAKHAR KARKHANA, SHIROL) YES
7	WHETHER HOMOEOPATHIC PHARMACOPOEIAS (INCLUDING HOMOEOPATHIC PHARMACOPOEIA OF INDIA) ARE AVAILABLE	YES, AVAILABLE TOTAL = <u>11</u> (HPI- <u>10</u> VOLUMES M. BHATTACHARYA HOM. PHARMACOPOEIA – <u>01</u>)	
8	HERBAL GARDEN	YES	
	No. of Species planted	55	
	Plants on pot	10	
	Irrigation facility	YES	
9	EDUCATIONAL TOUR CONDUCTED DURING THE LAST YEAR.	YES VISITED PCIH&M , GHAZIABAD & DR WILLMAR SCHWABE PHARMACEUTICAL UNIT , NOIDA ON 28 th Nov'2022.	

DEPARTMENT OF HOMOEOPATHIC PHARMACY

CONTENTS OF DEPARTMENT

SR.NO	CONTENTS	AVAILABLE
1	CHEMICAL	19 = 17 + 02
2	DRUGS	12 = 11 + 01
3	CHARTS	40 = 39 + 01
4	MODELS	12 = 11 + 01
5	VEGETABLE SPECIMENS	73 = 70 + 03
6	ANIMAL SPECIMENS	10 = 09 + 01
7	CHEMICAL SPECIMEN	40 = 39 + 01
8	TOTAL NO. OF SPECIMENS	123 = 118 + 05
9	HERBARIUM SHEETS	35 = 34 + 01
10	PLANTS IN HERBAL GARDEN	65 (PLANTED = 55 + POTTED = 10)

DEPARTMENT OF HOMOEOPATHIC PHARMACY

DETAILS OF VEHICLE AVAILABLE

SR. NO	VEHICLE	AVAILABLE
1	SOLIDS	-SAC.LAC -TABLETS -GLOBULES OF DIFFERENT NO.30,40
2	LIQUIDS	-AQUA DISTILLATA -ALCOHOL -GLYCERINE -OLIVE OIL
3	SEMI SOLID	-PETROLIUM JELLY
4	ALCOHOL ALCOHOL/SPIRIT LINCENSE /PERMISSION AVAILABLE OR NOT. IF YES WHETHER IT IS RENEWED OR NOT	-AVAILABLE -LINCENSE AVAILABLE . RENEWED UPTO 31/03/2024

DEPARTMENT OF HOMOEOPATHIC PHARMACY

ALCOHOL DETAILS

ALCOHOL /SPIRIT LICENSE/PERMISSION AVAILABLE OR NOT	AVAILABLE
IF YES, WHETHER IT IS RENEWED OR NOT	RENEWED UP TO 31/03 /2024

DEPARTMENT OF HOMOEOPATHIC PHARMACY

LIST OF OTHER INSTRUMENTS

SR. NO	NAME OF INSTRUMENT	QUANTITY
1	OINTMENT TILE	36
2	ANALYTICAL BALANCE	01
3	MEASURING CYLINDER 100ML	02
4	MEASURING CYLINDER 250ML	02
5	MEASURING CYLINDER 500ML	02
6	BEAKER GLASS 100ML	05
7	BEAKER GLASS 250ML	05
8	BEAKER GLASS 500ML	05
9	BEAKER PLASTIC 50 ML	62
10	OINTMENT SPATULA	30
11	SPATULA 8'	36
12	WASH BOTTLE 500ML	02
13	EVAPORATING DISH	23
14	CONICAL FLASK 100 ML	41
15	CONICAL FLASK 250 ML	05
16	VOLUMETRIC FLASK 50ML	06
17	VOLUMETRIC FLASK 100ML	05
18	PETRI DISH	34
19	TEST TUBE STAND	30
20	GRADUATED CONICAL TESTING GLASSES 25 ML	12
21	GRADUATED CONICAL TESTING GLASSES 50 ML	12
22	GRADUATED CONICAL TESTING GLASSES 200 ML	12
23	LEATHER PADS	100
24	SUPPOSITORY MOULDS	05
25	SPIRIT LAMP	06
26	TEST TUBE	199
27	CHOPING KNIEF AND BOARD	02
28	DROPPER WITH TEAT 6''	24
29	DESSICATOR	01
30	PHAIL PLASTIC	200
31	WIRE GAUGE	12
32	TRIPOD STAND	12
33	STANDARD TEST SIEVE	08
34	DISPENSING PHIAL	100
35	DROPPING BOTTLES (REAGENT BOTTLES)	18
36	REAGENT BOTTLES – GLASS STOPPERED BOTTELS	18
37	WATCH GLASS	12

38	GRADUATED PIPETTE 10ML	06
39	WEIGHT 1GM	07
	WEIGHT 2GM	07
	WEIGHT 5GM	07
	WEIGHT 10GM	04
	WEIGHT 20GM	04
	WEIGHT 50GM	04
	WEIGHT 100GM	04
	WEIGHT 200GM	04
40	BURETTE 50 ML	06
41	BURETTE STAND WITH FISHER CLAMP	06

DEPARTMENT OF HOMOEOPATHIC PHARMACY

HERBAL GARDEN DETAILS

SR.NO	CONTENT	REMARK
1	TOTAL NO OF SPECIES PLANTED	55 = 54 + 01
2	PLANTS IN POT	10
3	AREA IN Sq. Ft.	2000
4	IRRIGATION FACILITY	WELL WATER AVAILABLE
5	MAN POWER	AVAILABLE
6	FENCING	AVAILABLE

DEPARTMENT OF HOMOEOPATHIC PHARMACY

LIST OF TEACHING AIDS

SR.NO	TYPE OF AIDS	QUANTITY
1	POWER POINT PRESENTATION	15 = 14 + 01
2	CHARTS FOR STUDENT	35 = 34 + 01
3	SPECIMEN CATALOGUE	01
4	COMPUTER	01
5	MICROSCOPE	07
6	BOTANICAL SLIDES	100
7	HERBARIUM SHEETS	35 = 34 + 01
8	DIFFERENT TYPES OF MORTAR AND PESTLE	08
9	TANSPERANCY	14= 12 + 02
10	CD'S	04 = 03 + 01